

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L79	1	(first near2 driver and protection near2 (circuit device) and first near2 current near2 mirror and first near2 voltage near2 supply).cm.	US-PGPUB	OR	ON	2006/02/01 17:54

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14285	current adj mirror	USPAT	OR	OFF	2006/02/01 14:36
L2	7558	1 same second\$6	USPAT	OR	OFF	2006/02/01 14:37
L3	114	2 same protect\$5	USPAT	OR	OFF	2006/02/01 14:37
L4	32	3 same signal	USPAT	OR	OFF	2006/02/01 14:38
L5	8	4 same node	USPAT	OR	OFF	2006/02/01 14:38

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	362567	signal near3 driv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:07
L2	134208	1 and drivers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:07
L3	20115	2 and mirrors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:08
L4	165	3 and protectors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:24
L5	24808	first near2 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:42
L6	20588	second near2 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:24
L7	13239	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:25
L8	1820	7 and mirrors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:01
L9	10	8 and mixed near3 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:25
L10	7	("4952818" "5471498" "5767699" "6005414" "6025742" "6111431" "6531896").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 10:28
L11	8	("4476485" "4788490" "5485488" "5715409" "5914608" "6005414" "61114844" "6369621").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 10:29
L12	7	("5617046" "5793239" "5796276" "6111431" "6201421" "6252440" "6313662").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 10:30

L13	7	("5105107" "5418478" "5514983" "5767699" "5920204" "5977796" "6025742").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 10:32
L14	16	("4042840" "4314362" "4450371" "4614882" "4644196" "4801825" "4808853" "5103159" "5124580" "5365194" "5418474" "5430396" "5453678" "5517130" "5594696" "5801565").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 10:33
L15	8	("4980580" "5105107" "5111080" "5122690" "5216297" "5235222" "5287022" "5313118").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 10:37
L16	5	("4495626" "4859877" "4985674" "5013937" "5045730").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 10:42
L17	56	("5111080").URPN.	USPAT	OR	ON	2006/02/01 10:43
L18	47	("3835252" "4604740" "4638473" "4698800" "4703198" "4713827" "4719369" "4756006" "4791668" "4811342" "4859877" "5030855" "5095231" "5107230" "5111080" "5134311" "5216667" "5253249" "5260612" "5282157" "5311081" "5338979" "5347177" "5355390" "5382841" "5396028" "5422608" "5448182" "5466975" "5481207" "5499269" "5568064" "5568094" "5578939" "5579336" "5760601" "5761246" "5793223" "5801549" "5815107" "5864584" "5913075" "5949982" "6023183" "6101561" "6240139" "6337884").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 10:44
L19	11	("3267459" "3832494" "4498166" "4595923" "4916657" "5034964" "5446321" "5469430" "5856980" "5929896").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 10:45
L20	1	("6337884").URPN.	USPAT	OR	ON	2006/02/01 10:46
L21	15	("4890010" "5165046" "5206544" "5220208" "5294845" "5313118" "5329190" "5414583" "5418475" "5438282" "5440182" "5463331" "5578939" "5596285" "5666078").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 10:48
L22	13	("5013937" "5111080" "5153451" "5519728" "5717345" "5907251" "5959472" "5969554" "6064227" "6066975" "6087880" "6091351" "6099100").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 10:56
L23	6	("5023488" "5381062" "5424659" "5512844" "5576635" "5635861").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 11:06
L24	805	current near3 mode near3 drivers	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 11:41
L25	900	current near3 mode near3 drivers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:06
L26	214	25 and mirrors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:35
L27	5	("4890010" "5430396" "5450026" "6008665" "6111431").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 11:20

L28	52	("3581244" "3720878" "3828281" "3832575" "3937988" "4156173" "4298846" "4345171" "4414480" "4486723" "4691128" "4766334" "4798982" "4859877" "4943739" "4996504" "5021684" "5034629" "5107144" "5111080" "5179299" "5206544" "5214320" "5311071" "5422608" "5448182" "5457406" "5457407" "5459440" "5461265" "5463326" "5467455" "5485107" "5510727" "5514979" "5514983" "5528190" "5530377" "5532616" "5534811" "5546016" "5546017" "5559447" "5559448" "5563525" "5578939" "5581197" "5585740" "5585741" "5604450" "5635852" "5760601").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 11:21
L29	1	("5450026").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 11:28
L30	4	("4591739" "4810902" "5450026" "5525927").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 11:32
L31	26	25 SAME SINGLE NEAR2 ENDED	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:38
L32	1	25 SAME tolerant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:39
L33	37	25 and tolerant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:39
L34	1041	first near3 current near2 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:05
L35	816	second near3 current near2 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:09
L36	514	34 and 35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:43
L37	204	36 and low near2 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:43
L38	27	("1686792" "4023046" "4028634" "4122402" "4322688" "4523152" "4571553" "4879521" "4987379" "5041795" "5103188" "5276405" "5410282" "5442318" "5519310" "5736900" "5889393" "5990737" "6127888" "6163216" "6222418" "6329876" "6411163" "6411164" "6441685" "6476674").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 11:51

L39	113	protect\$3 near4 current near3 mirrors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:01
L40	8	39 and current near2 mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:41
L41	4151	low near2 voltage and current near2 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:05
L42	6	mixed near3 voltage same current near2 drivers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:06
L43	734	mirrors same current near2 drivers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:06
L44	0	43 and tolerant near2 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:07
L45	15	43 and (plurality plural mixed) near4 (power voltage) near3 supplies	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:07
L46	239	single near4 current near2 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:19
L47	734	(voltage power) near3 supplies near4 current near2 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:20
L48	873	(voltage power) near3 supplies near3 driver and current near3 mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:20
L49	205	48 and mirrors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:20

L50	3	("6326815" "6590422" "6781445").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 12:28
L51	0	("6927608").URPN.	USPAT	OR	ON	2006/02/01 12:38
L52	50	push\$2 near3 current near5 mirror	USPAT	OR	ON	2006/02/01 12:39
L53	68	push\$2 near3 current near5 mirror	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:44
L54	4879	broadcom.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:44
L55	154	54 and current near2 mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:49
L56	2854	low near2 voltage near4 drivers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:50
L57	309	56 and current near3 mirrors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:50
L58	9	("4555673" "4766394" "4797631" "5142244" "5208552" "5280199" "5287071" "5337008" "5371474").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 13:28
L59	9	("4251743" "4645945" "4668919" "4677323" "4682059" "4896061" "5055719" "5363059" "5500615").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 13:32
L60	16	("3319086" "3868519" "4305010" "4323796" "4331885" "4445054" "4536662" "4540894" "4647799" "4682059" "4728815" "4730124" "4779016" "4792704" "4806791").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 13:33
L61	7	("5500615").URPN.	USPAT	OR	ON	2006/02/01 13:35
L62	175	pull near2 up near4 mirrors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:41
L63	187	pull near2 down near4 mirrors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:41
L64	40	62 and "64"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:41

L65	64	62 and 63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 16:36
L66	1567	(361/86-88).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/01 16:42
L67	72	66 and current near3 mirrors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 16:42
L68	62	67 and protect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 16:49
L69	717	(361/30,31,33).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/01 16:42
L70	15	69 and current near3 mirrors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 16:43
L71	532	(326/82).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/01 16:49
L72	77	71 and current near3 mirrors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 16:49
L73	2199	(327/108,109,111).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/01 16:49
L74	432	73 and current near3 mirrors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 16:49
L75	92	74 and protect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 16:49
L76	4	("3098214" "4236119" "4572971").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 17:52
L77	11128	(driver and protection near2 (circuit device) and current near2 mirror and first voltage near2 supply).clm.	US-PGPUB	OR	ON	2006/02/01 17:54
L78	11127	(first near2 driver and protection near2 (circuit device) and first near2 current near2 mirror and first voltage near2 supply).clm.	US-PGPUB	OR	ON	2006/02/01 17:54
L79	1	(first near2 driver and protection near2 (circuit device) and first near2 current near2 mirror and first near2 voltage near2 supply).clm.	US-PGPUB	OR	ON	2006/02/01 17:54

S1	20664	transceiver and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:07
S2	628	S1 and current near2 mirror	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 10:52
S3	689	transceiver and (plural plurality) near3 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 10:52
S4	56	S3 and current near2 mirror	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 10:35
S5	874	(plural plurality) near3 current near2 mirror	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 10:43
S6	61	S5 and (plural plurality) near3 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 10:50
S7	27741	(plural plurality mixed different) near3 (voltage power) near3 supplies	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 10:51
S8	6383	S7 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 10:51
S9	630	S8 and current near2 mirror	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 10:51
S10	812	S7 and (plural plurality) near3 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 10:52
S11	115	S10 and current near2 mirror	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 11:07

S12	164	"3.3" near4 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 11:08
S13	129	"1.2" near4 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 11:08
S14	1	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 11:10
S15	4879	broadcom.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 11:11
S16	527	S15 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 11:11
S17	114	S16 and current near2 mirror	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 11:11